



December 2022
Incl. 7.7 % MwSt./TVA

OMNIA Wireless



The all-in-one high end wireless speaker to enhance your home audio experience
Stereo 4-Way Wireless System, POWER RATING: 490,W, FREQUENCY RESPONSE 30 Hz -25 kHz, INPUTS: 1x HDMI ARC 2 Channel, 1x MM Phono, NETWORK CONNECTIVITY: Ethernet (10/100 Mbps) Wi-Fi Dual Band, DIMENSIONS (HxWxD): 130 x 650 x280 mm, WEIGHT: 7,6 Kg

| | | |
|--------|------|---------------------|
| Black | Unit | CHF 1'799.00 |
| Walnut | Unit | CHF 1'799.00 |

LUMINA SERIE

Lumina I



SYSTEM 2-Way shelf loudspeaker system, FREQUENCY RESPONSE 65 Hz - 24000 Hz, SENSITIVITY 84dB SPL IMPEDANCE 4 Ohm, SUGGESTED POWER OUTPUT 30 - 100 W without clipping DIMENSIONS (HxWxD) 280 x 148 x 213 mm WEIGHT 4.4 Kg each

| | | |
|--------|------|-------------------|
| Black | Pair | CHF 990.00 |
| Walnut | Pair | CHF 990.00 |
| Wenge | Pair | CHF 990.00 |

Lumina II



SYSTEM 2-Way shelf loudspeaker system, FREQUENCY RESPONSE 65 Hz - 24000 Hz, SENSITIVITY 84dB SPL IMPEDANCE 4 Ohm, SUGGESTED POWER OUTPUT 30 - 150 W without clipping DIMENSIONS (HxWxD) 340 x 180 x 263 mm WEIGHT 5.8 Kg each

| | | |
|--------|------|---------------------|
| Black | Pair | CHF 1'290.00 |
| Walnut | Pair | CHF 1'290.00 |
| Wenge | Pair | CHF 1'290.00 |

Lumina III



SYSTEM 3-Way floorstanding loudspeaker system
FREQUENCY RESPONSE 40 Hz - 24000 Hz, SENSITIVITY 89dB SPL IMPEDANCE 4 Ohm, SUGGESTED POWER OUTPUT 30 - 250W without clipping DIMENSIONS (HxWxD) 989 x 228 x 278 mm WEIGHT 15.9 Kg each

| | | |
|--------|------|---------------------|
| Black | Pair | CHF 2'400.00 |
| Walnut | Pair | CHF 2'400.00 |
| Wenge | Pair | CHF 2'400.00 |

Lumina V



| | | | |
|---|--------|------|---------------------|
| SYSTEM 3-Way floorstanding loudspeaker system | Black | Pair | CHF 3'100.00 |
| FREQUENCY RESPONSE 38 Hz - 24000 Hz, SENSITIVITY 89dB SPL IMPEDANCE 4 Ohm, SUGGESTED POWER OUTPUT 50 - 300W without clipping DIMENSIONS (HxWxD) 1049 x 280 x 372.6 mm WEIGHT 22.5 Kg each | Walnut | Pair | CHF 3'100.00 |
| | Wenge | Pair | CHF 3'100.00 |

Lumina Center



| | | | |
|---|--------|------|-------------------|
| SYSTEM 2-Way center loudspeaker system, FREQUENCY RESPONSE 65 Hz - 24000 Hz Hz, SENSITIVITY 87dB SPL IMPEDANCE 4 Ohm, SUGGESTED POWER OUTPUT 30 - 100 W without clipping DIMENSIONS (HxWxD) 168.6 x 523.6 x 212.7 mm, WEIGHT 7.6 Kg | Black | Unit | CHF 800.00 |
| | Walnut | Unit | CHF 800.00 |
| | Wenge | Unit | CHF 800.00 |

SONETTO SERIE

Sonetto VIII



| | | | |
|--|--------|------|---------------------|
| SYSTEM 3 way floorstanding speaker. FREQUENCY RESPONSE 36 Hz -25.000 Hz SENSITIVITY (2.83V/1M) 90dB SPL NOMINAL IMPEDENCE 4 ohm SUGGESTED AMPLIFIER POWER OUTPUT 50W – 300W without clipping LONG-TERM MAX INPUT VOLTAGE (IEC-268-5) 22V rms TOTAL DIMENSIONS (HxWxD) 1.236 x 391 x 477,5 mm WEIGHT 26,3 Kg each | Piano | | |
| | Black | Pair | CHF 6'650.00 |
| | Matte | Pair | CHF 6'650.00 |
| | White | Pair | CHF 6'650.00 |
| | Walnut | Pair | CHF 6'650.00 |
| | Wenge | | |

Sonetto V



| | | | |
|---|--------|------|---------------------|
| SYSTEM 3 way floorstanding vented box. FREQUENCY RESPONSE 38 Hz-25.000 Hz SENSITIVITY (2.83V/1M) 90 dB SPL NOMINAL IMPEDENCE 6 ohm SUGGESTED AMPLIFIER POWER OUTPUT 40W – 300W without clipping LONG-TERM MAX INPUT VOLTAGE (IEC-268-5) 22V rms DIMENSIONS (HxWxD) 1188x283x427 mm TOTAL DIMENSIONS (HxWxD) 1157x340x43 mm WEIGHT 22,60 Kg each | Piano | | |
| | Black | Pair | CHF 4'990.00 |
| | Matte | Pair | CHF 4'990.00 |
| | White | Pair | CHF 4'990.00 |
| | Walnut | Pair | CHF 4'990.00 |
| | Wenge | | |

Sonetto III



| | | | |
|---|--------|------|---------------------|
| SYSTEM 2.5 way floorstanding vented box. FREQUENCY RESPONSE 42 Hz-25.000 Hz SENSITIVITY (2.83V/1M) 89 dB SPL NOMINAL IMPEDENCE 6 ohm SUGGESTED AMPLIFIER POWER OUTPUT 50W – 250W without clipping LONG-TERM MAX INPUT VOLTAGE (IEC-268-5) 22V rms DIMENSIONS (HxWxD) 1172x258x409 mm TOTAL DIMENSIONS (HxWxD) 1118x219x305 mm WEIGHT 16 Kg each | Piano | | |
| | Black | Pair | CHF 3'950.00 |
| | Matte | Pair | CHF 3'950.00 |
| | White | Pair | CHF 3'950.00 |
| | Walnut | Pair | CHF 3'950.00 |
| | Wenge | | |

Sonetto II

SYSTEM 2 way standmount bookshelf vented box - FREQUENCY RESPONSE 45Hz-25.000 Hz - SENSITIVITY 88 dB SPL - NOMINAL IMPEDENCE 6 ohm - SUGGESTED AMPLIFIER POWER OUTPUT 50W – 200W - DIMENSIONS (HXWXD) 449x246x336 mm - OPTIONAL DEDICATED STAND (HxWxD) 698x276x326 mm TOTAL DIMENSIONS (HxWxD) 1130x276x391 mm WEIGHT 7,00 Kg each

| | | |
|--------|------|---------------------|
| Piano | | |
| Black | Pair | CHF 2'280.00 |
| Matte | Pair | CHF 2'280.00 |
| White | Pair | CHF 2'280.00 |
| Walnut | Pair | CHF 2'280.00 |
| Wenge | | |

Sonetto I

SYSTEM 2 way standmount bookshelf vented box. FREQUENCY RESPONSE 50Hz-25.000 Hz SENSITIVITY (2.83V/1M) 85 dB SPL NOMINAL IMPEDENCE 6 ohm SUGGESTED AMPLIFIER POWER OUTPUT 30W – 150W without clipping LONG-TERM MAX INPUT VOLTAGE (IEC-268-5) 20V rms DIMENSIONS (HXWXD) 394x206x300 mm OPTIONAL DEDICATED STAND (HxWxD) 698x276x326 mm TOTAL DIMENSIONS (HxWxD) 1076x276x382 mm WEIGHT 6,00 Kg each

| | | |
|--------|------|---------------------|
| Piano | | |
| Black | Pair | CHF 1'690.00 |
| Matte | Pair | CHF 1'690.00 |
| White | Pair | CHF 1'690.00 |
| Walnut | Pair | CHF 1'690.00 |
| Wenge | | |

Sonetto Wall

SYSTEM 2 way wallmount closed box with passive radiator. FREQUENCY RESPONSE 60 Hz-25.000 Hz SENSITIVITY (2.83V/1M) 89 dB SPL NOMINAL IMPEDENCE 6 ohm SUGGESTED AMPLIFIER POWER OUTPUT 30W – 150W without clipping DIMENSIONS (HXWXD) 291x500x170 mm TOTAL DIMENSIONS (HXWXD) 291x500x170 mm WEIGHT 4,80 Kg each

| | | |
|--------|------|---------------------|
| Piano | | |
| Black | unit | CHF 1'230.00 |
| Matte | unit | CHF 1'230.00 |
| White | unit | CHF 1'230.00 |
| Walnut | unit | CHF 1'230.00 |
| Wenge | | |

Sonetto Center I

SYSTEM 2 way horizontal vented box. FREQUENCY RESPONSE 50 Hz-25.000 Hz SENSITIVITY (2.83V/1M) 90 dB SPL NOMINAL IMPEDENCE 4 ohm SUGGESTED AMPLIFIER POWER OUTPUT 30W – 150W without clipping LONG-TERM MAX INPUT VOLTAGE (IEC-268-5) 22V rms DIMENSIONS (HxWxD) 222x500x290 mm TOTAL DIMENSIONS (HxWxD) 222x500x290 mm WEIGHT 6,50 Kg

| | | |
|--------|------|---------------------|
| Piano | | |
| Black | unit | CHF 1'290.00 |
| Matte | unit | CHF 1'290.00 |
| White | unit | CHF 1'290.00 |
| Walnut | unit | CHF 1'290.00 |
| Wenge | | |

Sonetto Center II

SYSTEM 3 way horizontal vented box. FREQUENCY RESPONSE 42 Hz-25.000 Hz SENSITIVITY (2.83V/1M) 91 dB SPL NOMINAL IMPEDENCE 4 ohm SUGGESTED AMPLIFIER POWER OUTPUT 50W – 300W without clipping LONG-TERM MAX INPUT VOLTAGE (IEC-268-5) 22V rms DIMENSIONS (HxWxD) 222x500x290 mm TOTAL DIMENSIONS (HxWxD) 222x500x290 mm WEIGHT 16,20 Kg

| | | |
|--------|------|---------------------|
| Piano | | |
| Black | unit | CHF 2'380.00 |
| Matte | unit | CHF 2'380.00 |
| White | unit | CHF 2'380.00 |
| Walnut | unit | CHF 2'380.00 |
| Wenge | | |

Sonetto Stand

| | |
|------|-------------------|
| Pair | CHF 590.00 |
|------|-------------------|

OLYMPICA NOVA SERIE

Olympica Nova I



SYSTEM 2 way standmount, paralaminar stealth flow vented loudspeaker. FREQUENCY RESPONSE 45 Hz – 35.000 Hz, tuning port included. SENSITIVITY 87 dB SPL - NOMINAL IMPEDANCE 4 ohm. SUGGESTED AMPLIFIER POWER OUTPUT 35W – 250W - DIMENSIONS (HxWxD) 355 x 199.5 x 395 mm (Stand included 1078 x 199.5 x 395 mm) - WEIGHT 15 kg Net

| | | |
|--------|------|---------------------|
| Walnut | Pair | CHF 6'950.00 |
| Wenge | Pair | CHF 6'950.00 |

Olympica Nova Stand

| | |
|------|---------------------|
| Pair | CHF 1'150.00 |
|------|---------------------|

Olympica Nova II



SYSTEM 2 way floorstanding, paralaminar stealth flow vented loudspeaker - FREQUENCY RESPONSE 40 Hz – 35.000 Hz - SENSITIVITY 90 dB SPL (2.83 V/1m) - NOMINAL IMPEDANCE 4 ohm - SUGGESTED AMPLIFIER POWER OUTPUT 50W – 250W, without clipping - DIMENSIONS (HxWxD) 1036.5 x 359.7 x 422.5 mm - WEIGHT 30.7 kg Net

| | | |
|--------|------|---------------------|
| Walnut | Pair | CHF 9'950.00 |
| Wenge | Pair | CHF 9'950.00 |

Olympica Nova III



SYSTEM 3 way floorstanding, paralaminar stealth flow vented loudspeaker - FREQUENCY RESPONSE 35 Hz – 35.000 Hz - SENSITIVITY 90 dB SPL - NOMINAL IMPEDANCE 4 ohm - SUGGESTED AMPLIFIER POWER OUTPUT 50W – 300W - DIMENSIONS (HxWxD) 1104.5 x 376 x 459.8 mm - WEIGHT 35 kg Net

| | | |
|--------|------|----------------------|
| Walnut | Pair | CHF 13'900.00 |
| Wenge | Pair | CHF 13'900.00 |

Olympica Nova V



SYSTEM 3 way floorstanding, full para-aperiodic vented box "Stealth Ultraflex" - FREQUENCY RESPONSE 32 Hz – 35.000 Hz - SENSITIVITY 90 dB SPL - NOMINAL IMPEDANCE 4 ohm - SUGGESTED AMPLIFIER POWER OUTPUT 60W – 400W - DIMENSIONS (HxWxD) 1174.5 x 424 x 529.8 mm - WEIGHT 44 kg Net

| | | |
|--------|------|----------------------|
| Walnut | Pair | CHF 17'000.00 |
| Wenge | Pair | CHF 17'000.00 |

Olympica Nova CI



SYSTEM 2 way floorstanding, paralaminar "stealth ultraflex" vented loudspeaker - FREQUENCY RESPONSE 45 Hz – 35.000 Hz - SENSITIVITY 90 dB SPL - NOMINAL IMPEDANCE 4 ohm - SUGGESTED AMPLIFIER POWER OUTPUT 35W – 250W - DIMENSIONS (HxWxD) 241.6 (Stand included 688.6) x 616 x 397.8 mm - WEIGHT 18 kg (stand included 26 Kg) Net

| | | |
|--------|------|---------------------|
| Walnut | Unit | CHF 5'250.00 |
| Wenge | Unit | CHF 5'250.00 |

Olympica Nova CII



SYSTEM 3 way floorstanding, paralaminar "stealth ultraflex" vented loudspeaker - FREQUENCY RESPONSE 35 Hz – 35.000 Hz - SENSITIVITY 90 dB SPL - NOMINAL IMPEDANCE 4 ohm - SUGGESTED AMPLIFIER POWER OUTPUT 50W – 300W - DIMENSIONS (HxWxD) 278.1 (Stand included 719.9) x 866 x 459.7 mm - WEIGHT 29 kg (Stand included 37 Kg) Net

| | | |
|--------|------|---------------------|
| Walnut | Unit | CHF 7'500.00 |
| Wenge | Unit | CHF 7'500.00 |

Olympica Nova W



SYSTEM 2-way on-wall speaker - passive radiator system - FREQUENCY RESPONSE 60Hz - 25000 Hz - NOMINAL IMPEDANCE 4 OHM - SENSITIVITY 89 dB - SUGGESTED AMPLIFIER POWER 30 - 150W - DIMENSIONS (HxWxD) 500 x 291 x 163 mm - WEIGHT 4,8 Kg

| | | |
|--------|------|---------------------|
| Walnut | Unit | CHF 4'000.00 |
| Wenge | Unit | CHF 4'000.00 |
| Black | Unit | CHF 4'000.00 |

Olympica Nova Center Stand

| | |
|------|--------------------|
| Unit | CHF 1500.00 |
|------|--------------------|

HERITAGE COLLECTION

35TH ANNIVERSARY
1983 · 2018

ICONIC RENAISSANCE

The restyling of one of the most symbolic loudspeakers is always a hard work, but fascinating. Electa Amator III and the two other models of the Heritage Collection is the achievement of a 30-year journey. The third generation of an iconic product generated by an expression of natural evolution, with holding the elements that make us unique: precious materials, high craftsmanship and natural sound.

Minima Amator II



2 ways bookshelf loudspeaker system; a simple project that features main technologies and design solutions, already used for the last Sonus faber creations. LOUDSPEAKERS: Tw: H28 XTR-04 DAD™, Ø 28 mm, Mw: MW18XTR-04, Ø 150 mm, FREQUENCY RESPONSE: 50 Hz – 35.000 Hz, Amplifier Power: 35 -100W, Impedance: 4 Ohm, Sensitivity: 87 dB SPL, Dimensions Speaker (HxWxD): 325x200x274.5 mm,

| | | |
|--------|------|---------------------|
| Walnut | Pair | CHF 4'500.00 |
|--------|------|---------------------|

Electa Amator III



2 ways bookshelf loudspeaker system; a simple project that features main technologies and design solutions, already used for the last Sonus faber creations. LOUDSPEAKERS: Tw: H28 XTR-04 DAD™, Ø 28 mm, Mw: MW18XTR-04, Ø 180 mm, FREQUENCY RESPONSE: 40 Hz – 35.000 Hz, Amplifier Power: 35 -200W, Impedance: 4 Ohm, Sensitivity: 88 dB SPL, Dimensions Speaker (HxWxD): 375x235x360 mm,

| | | |
|--------|------|----------------------|
| Walnut | Pair | CHF 10'800.00 |
|--------|------|----------------------|

Electa Amator III Stand

Stand: 720x300x350 mm, 9.5Kg

| | |
|------|---------------------|
| Pair | CHF 1'600.00 |
|------|---------------------|

Maxima Amator



2 ways floorstanding loudspeaker system; a simple project that features main technologies and design solutions, already used for the last Sonus faber creations. LOUDSPEAKERS: Tw: H28 XTR-04 DAD™, Ø 28 mm, Mw: MW18XTR-04, Ø 180 mm, FREQUENCY RESPONSE: 25 Hz – 35.000 Hz, Amplifier Power: 35 -125W, Impedance: 4 Ohm, Sensitivity: 88 dB SPL, Dimensions Speaker (HxWxD): 375x235x360 mm, Stand: 1120x300x350 mm.

Walnut Pair **CHF 15'900.00**

HOMMAGE SERIES

Guarneri Tradition



2-way, full para-aperiodic vented box. Ultraflex System™ and “Zero Vibration Sensitivity Transmission” technology implemented on the dedicated stand. Frequency Response: 40 Hz – 35.000 Hz, Stealth reflex included. 87 db SPL (2.83V/1 m). 4 ohms. Suggested Amplifier Power Output: 30W – 250W, without clipping. Dimensions: (HxWxD) 377 x 239 x 375 mm, Including stand entirely made in Carbon fiber. Dimensions: (HxWxD) 758 x 300 x 390 mm

Red Pair **CHF 17'500.00**

Wenge Pair **CHF 17'500.00**

Serafino Tradition



3.5-way, full para-aperiodic vented box “Stealth Ultraflex System and “Zero Vibration Transmission” technology, vibration transmission-decoupled from the floor, staggered low frequency floor standing loudspeaker system. Cross-over point: 80Hz - 250 Hz - 2.500Hz, Frequency Response: 30 Hz – 35.000 Hz, Sensitivity: 90 db SPL (2.83V/1 m), Nominal Impedance: 4 ohms. Suggested Amplifier Power Output: 80 - 350W, Dimensions: (HxWxD) 1091x396x485 mm, Weight: 52 kg

Red Pair **CHF 22'900.00**

Wenge Pair **CHF 22'900.00**

Amati Tradition



3.5-way, full para-aperiodic vented box “Stealth Ultraflex System” and “Zero Vibration Transmission” technology, vibration transmission- decoupled from the floor, staggered low frequency floor standing loudspeaker system. “Cross-over point: 80Hz - 250 Hz - 2.500Hz, Frequency Response: 28 Hz – 35.000 Hz, Sensitivity: 90 db SPL, Nominal Impedance: 4 ohms, Suggested Amplifier Power Output: 100 – 500W. Dimensions: (HxWxD)1176 x 411 x 512 mm, Weight: 61 Kg

Red Pair **CHF 31'500.00**

Wenge Pair **CHF 31'500.00**

Homage VOX



SYSTEM 3 way, horizontal loudspeaker system -
FREQUENCY RESPONSE 50 Hz – 30.000 Hz -
SENSITIVITY 89 dB SPL - NOMINAL
IMPEDANCE 4 ohm - POWER HANDLING
30W – 300W - DIMENSIONS (HxWxD)
310x825x390 mm - WEIGHT 37 Kg – net
weight / 43 Kg - shipping weight.

| | | |
|-------|------|----------------------|
| Wenge | Unit | CHF 13'600.00 |
| Red | Unit | CHF 13'600.00 |

REFERENCE SERIE

iL Cremonese



SYSTEM 3.5 way, full para-aperiodic vented box
"Stealth Reflex System"- FREQUENCY
RESPONSE 25 Hz – 35.000 Hz, Stealth reflex
included - SENSITIVITY 92 db SPL (2.83V/1 m)
- NOMINAL MPENDENCE 4 ohm SUGGESTED
AMPLIFIER POWER OUTPUT 100W – 800W,
without clipping - TOTAL DIMENSIONS
(HXWXD) 1449.6 mm x 398.23 mm x 621.8 mm
- WEIGHT 84 Kg each – net weight.

| | | |
|--------|------|----------------------|
| Red | Pair | CHF 52'000.00 |
| Walnut | Pair | CHF 52'000.00 |
| Wenge | Pair | CHF 52'000.00 |

Lilium



SYSTEM 3.5 way, orthogonal non interactive
dual enclosure, para-aperiodic vented box -
FREQUENCY RESPONSE 20 Hz – 35.000 Hz,
Stealth reflex included - SENSITIVITY 92 db
SPL (2.83V/1 m) - NOMINAL IMPEDANCE 4
ohm - SUGGESTED AMPLIFIER POWER
OUTPUT 100W – 800W, without clipping -
DIMENSIONS 1600mm x 491mm x 705mm
(HxWxD) - WEIGHT 103 Kg each - net weight
156 kg each - shipping weight

| | | |
|--------|------|----------------------|
| Red | Pair | CHF 73'500.00 |
| Walnut | Pair | CHF 73'500.00 |

AIDA



SYSTEM 3.5 way, Sound field Shaper
Technology, "Zero Vibration Transmission"
technology, para-aperiodic vented box "Stealth
Reflex System", staggered low frequency
floorstanding loudspeaker system -
FREQUENCY RESPONSE 20 Hz – 35.000 Hz,
Stealth reflex included - SENSITIVITY 92 db
SPL - IMPEDANCE 4 ohm POWER HANDLING
100W – 1KW, without clipping - DIMENSIONS
(HxWxD) 1725mm x 482mm x 780mm -
WEIGHT 330 Kg per pair

| | | |
|-------|------|-----------------------|
| Red | Pair | CHF 115'000.00 |
| Wenge | Pair | CHF 115'000.00 |

GRAVIS SUBWOOFER

Gravis I



Closed box loading, down firing active subwoofer, AMPLIFICATION: High linearity Class AB, 150 W rms, 250 W (peak), Woofer: 1 x 210mm (8") very long throw, Independent Master and LFE volume control, FREQUENCY RESPONSE: From 25/35 Hz to Fc (user adjustable) Continuously adjustable Crossover frequency (30 to 120Hz), slope 24dB/oct; Signal phase inversion switch (0/180°), Auto switch-on/off (deselectable) DIMENSIONS (HxWxD) 334 x 286 x 316 mm including feet, 14,5 kg

Piano
Black
Matte
White
Walnut

CHF 990.00
CHF 990.00
CHF 990.00

Gravis II



Closed box loading, down firing active subwoofer, AMPLIFICATION: High linearity Class AB, 350 W rms, 700 W (peak), Woofer: 1x 260mm (10") very long throw, Independent Master and LFE volume control, Continuously adjustable Crossover frequency (30 to 120Hz), slope 24dB/oct; Signal phase inversion switch (0/180°), Auto switch-on/off (deselectable) DIMENSIONS (HxWxD) 404 x 356 x 408 mm including feet, 21.5 kg

Piano
Black
Matte
White
Walnut

CHF 1'450.00
CHF 1'450.00
CHF 1'450.00

Gravis III



Closed box loading, down firing active subwoofer, AMPLIFICATION: High linearity Class AB, 600 W rms, 900 W (peak), Woofer: 1x 260mm (10") very long throw, Independent Master and LFE volume control, Continuously adjustable Crossover frequency (30 to 120Hz), slope 24dB/oct; Signal phase inversion switch (0/180°), Auto switch-on/off (deselectable) DIMENSIONS (HxWxD) 400 x 415 x 495 mm including feet, 26.7 kg

Piano
Black
Matte
White
Walnut

CHF 2'750.00
CHF 2'750.00
CHF 2'750.00

Gravis V



Closed box single loading, active subwoofer, AMPLIFICATION: High linearity Class AB, 850 W rms, Woofer: 1x 320mm (12") very long throw, Independent Master and LFE volume control, Continuously adjustable Crossover frequency (40 to 150Hz), slope 24dB/oct; Signal phase inversion switch (0/180°), Auto switch-on/off (deselectable) DIMENSIONS (HxWxD) 455 x 448.50 x 448.50 mm including feet, 32 kg

Wenge
Red
Black

CHF 4'950.00
CHF 4'950.00
CHF 4'950.00

Gravis VI



Closed box double loading, active subwoofer, AMPLIFICATION: High linearity Class AB, 1800 W rms, Woofer: 2x 320mm (12") very long throw, Independent Master and LFE volume control, Continuously adjustable Crossover frequency (40 to 150Hz), slope 24dB/oct; Signal phase inversion switch (0/180°), Auto switch-on/off (deselectable) DIMENSIONS (HxWxD) 616 x 448.50 x 585.50 mm including feet, 52 kg

Wenge
Red
Black

CHF 7'000.00
CHF 7'000.00
CHF 7'000.00

Preis- und technische Aenderungen vorbehalten / sous réserve de changement de prix et techniques