



**March 2023**  
Incl. 7.7 % MwSt./TVA

## OMNIA Wireless



**The all-in-one high end wireless speaker to enhance your home audio experience**  
Stereo 4-Way Wireless System, POWER RATING: 490,W, FREQUENCY RESPONSE 30 Hz -25 kHz, INPUTS: 1x HDMI ARC 2 Channel, 1x MM Phono, NETWORK CONNECTIVITY: Ethernet (10/100 Mbps) Wi-Fi Dual Band, DIMENSIONS (HxWxD): 130 x 650 x280 mm, WEIGHT: 7,6 Kg

Black	Unit	<b>CHF 1'890.00</b>
Walnut	Unit	<b>CHF 1'890.00</b>

## LUMINA SERIE

### Lumina I



SYSTEM 2-Way shelf loudspeaker system, FREQUENCY RESPONSE 65 Hz - 24000 Hz Hz, SENSITIVITY 84dB SPL IMPEDANCE 4 Ohm, SUGGESTED POWER OUTPUT 30 - 100 W without clipping DIMENSIONS (HxWxD) 280 x 148 x 213 mm WEIGHT 4.4 Kg each

Black	Pair	<b>CHF 990.00</b>
Walnut	Pair	<b>CHF 990.00</b>
Wenge	Pair	<b>CHF 990.00</b>

### Lumina II



SYSTEM 2-Way shelf loudspeaker system, FREQUENCY RESPONSE 65 Hz - 24000 Hz Hz, SENSITIVITY 84dB SPL IMPEDANCE 4 Ohm, SUGGESTED POWER OUTPUT 30 - 150 W without clipping DIMENSIONS (HxWxD) 340 x 180 x 263 mm WEIGHT 5.8 Kg each

Black	Pair	<b>CHF 1'300.00</b>
Walnut	Pair	<b>CHF 1'300.00</b>
Wenge	Pair	<b>CHF 1'300.00</b>

### Lumina III



SYSTEM 3-Way floorstanding loudspeaker system  
FREQUENCY RESPONSE 40 Hz - 24000 Hz, SENSITIVITY 89dB SPL IMPEDANCE 4 Ohm, SUGGESTED POWER OUTPUT 30 - 250W without clipping DIMENSIONS (HxWxD) 989 x 228 x 278 mm WEIGHT 15.9 Kg each

Black	Pair	<b>CHF 2'400.00</b>
Walnut	Pair	<b>CHF 2'400.00</b>
Wenge	Pair	<b>CHF 2'400.00</b>

## Lumina V



SYSTEM 3-Way floorstanding loudspeaker system  
FREQUENCY RESPONSE 38 Hz - 24000 Hz,  
SENSITIVITY 89dB SPL IMPEDANCE 4 Ohm,  
SUGGESTED POWER OUTPUT 50 - 300W  
without clipping DIMENSIONS (HxWxD) 1049 x  
280 x 372.6 mm WEIGHT 22.5 Kg each

Black	Pair	<b>CHF 3'100.00</b>
Walnut	Pair	<b>CHF 3'100.00</b>
Wenge	Pair	<b>CHF 3'100.00</b>

## Lumina Center



SYSTEM 2-Way center loudspeaker system,  
FREQUENCY RESPONSE 65 Hz - 24000 Hz  
Hz, SENSITIVITY 87dB SPL IMPEDANCE 4  
Ohm, SUGGESTED POWER OUTPUT 30 -  
100 W without clipping DIMENSIONS (HxWxD)  
168.6 x 523.6 x 212.7 mm, WEIGHT 7.6 Kg

Black	Unit	<b>CHF 750.00</b>
Walnut	Unit	<b>CHF 750.00</b>
Wenge	Unit	<b>CHF 750.00</b>

## SONETTO SERIE

### Sonetto VIII



SYSTEM 3 way floorstanding speaker.  
FREQUENCY RESPONSE 36 Hz -25.000 Hz  
SENSITIVITY (2.83V/1M) 90dB SPL NOMINAL  
IMPEDENCE 4 ohm SUGGESTED  
AMPLIFIER POWER OUTPUT 50W – 300W  
without clipping LONG-TERM MAX INPUT  
VOLTAGE (IEC-268-5) 22V rms TOTAL  
DIMENSIONS (HxWxD) 1.236 x 391 x 477,5  
mm WEIGHT 26,3 Kg each

Piano		
Black	Pair	<b>CHF 6'990.00</b>
Matte	Pair	<b>CHF 6'990.00</b>
White	Pair	<b>CHF 6'990.00</b>
Walnut	Pair	<b>CHF 6'990.00</b>
Wenge		

### Sonetto V



SYSTEM 3 way floorstanding vented box.  
FREQUENCY RESPONSE 38 Hz-25.000 Hz  
SENSITIVITY (2.83V/1M) 90 dB SPL NOMINAL  
IMPEDENCE 6 ohm SUGGESTED  
AMPLIFIER POWER OUTPUT 40W – 300W  
without clipping LONG-TERM MAX INPUT  
VOLTAGE (IEC-268-5) 22V rms DIMENSIONS  
(HxWxD) 1188x283x427 mm TOTAL  
DIMENSIONS (HxWxD) 1157x340x43 mm  
WEIGHT 22,60 Kg each

Piano		
Black	Pair	<b>CHF 5'190.00</b>
Matte	Pair	<b>CHF 5'190.00</b>
White	Pair	<b>CHF 5'190.00</b>
Walnut	Pair	<b>CHF 5'190.00</b>
Wenge		

### Sonetto III



SYSTEM 2.5 way floorstanding vented box.  
FREQUENCY RESPONSE 42 Hz-25.000 Hz  
SENSITIVITY (2.83V/1M) 89 dB SPL NOMINAL  
IMPEDENCE 6 ohm SUGGESTED  
AMPLIFIER POWER OUTPUT 50W – 250W  
without clipping LONG-TERM MAX INPUT  
VOLTAGE (IEC-268-5) 22V rms DIMENSIONS  
(HxWxD) 1172x258x409 mm TOTAL  
DIMENSIONS (HxWxD) 1118x219x305 mm  
WEIGHT 16 Kg each

Piano		
Black	Pair	<b>CHF 3'950.00</b>
Matte	Pair	<b>CHF 3'950.00</b>
White	Pair	<b>CHF 3'950.00</b>
Walnut	Pair	<b>CHF 3'950.00</b>
Wenge		

---

**Sonetto II**

SYSTEM 2 way standmount bookshelf vented box - FREQUENCY RESPONSE 45Hz-25.000 Hz - SENSITIVITY 88 dB SPL - NOMINAL IMPEDENCE 6 ohm - SUGGESTED AMPLIFIER POWER OUTPUT 50W – 200W - DIMENSIONS (HXWXD) 449x246x336 mm - OPTIONAL DEDICATED STAND (HxWxD) 698x276x326 mm TOTAL DIMENSIONS (HxWxD) 1130x276x391 mm WEIGHT 7,00 Kg each

Piano		
Black	Pair	<b>CHF 2'350.00</b>
Matte	Pair	<b>CHF 2'350.00</b>
White	Pair	<b>CHF 2'350.00</b>
Walnut	Pair	<b>CHF 2'350.00</b>
Wenge		

---

**Sonetto I**

SYSTEM 2 way standmount bookshelf vented box. FREQUENCY RESPONSE 50Hz-25.000 Hz SENSITIVITY (2.83V/1M) 85 dB SPL NOMINAL IMPEDENCE 6 ohm SUGGESTED AMPLIFIER POWER OUTPUT 30W – 150W without clipping LONG-TERM MAX INPUT VOLTAGE (IEC-268-5) 20V rms DIMENSIONS (HXWXD) 394x206x300 mm OPTIONAL DEDICATED STAND (HxWxD) 698x276x326 mm TOTAL DIMENSIONS (HxWxD) 1076x276x382 mm WEIGHT 6,00 Kg each

Piano		
Black	Pair	<b>CHF 1'790.00</b>
Matte	Pair	<b>CHF 1'790.00</b>
White	Pair	<b>CHF 1'790.00</b>
Walnut	Pair	<b>CHF 1'790.00</b>
Wenge		

---

**Sonetto Wall**

SYSTEM 2 way wallmount closed box with passive radiator. FREQUENCY RESPONSE 60 Hz-25.000 Hz SENSITIVITY (2.83V/1M) 89 dB SPL NOMINAL IMPEDENCE 6 ohm SUGGESTED AMPLIFIER POWER OUTPUT 30W – 150W without clipping DIMENSIONS (HXWXD) 291x500x170 mm TOTAL DIMENSIONS (HXWXD) 291x500x170 mm WEIGHT 4,80 Kg each

Piano		
Black	unit	<b>CHF 1'290.00</b>
Matte	unit	<b>CHF 1'290.00</b>
White	unit	<b>CHF 1'290.00</b>
Walnut	unit	<b>CHF 1'290.00</b>
Wenge		

---

**Sonetto Center I**

SYSTEM 2 way horizontal vented box. FREQUENCY RESPONSE 50 Hz-25.000 Hz SENSITIVITY (2.83V/1M) 90 dB SPL NOMINAL IMPEDENCE 4 ohm SUGGESTED AMPLIFIER POWER OUTPUT 30W – 150W without clipping LONG-TERM MAX INPUT VOLTAGE (IEC-268-5) 22V rms DIMENSIONS (HxWxD) 222x500x290 mm TOTAL DIMENSIONS (HxWxD) 222x500x290 mm WEIGHT 6,50 Kg

Piano		
Black	unit	<b>CHF 1'290.00</b>
Matte	unit	<b>CHF 1'290.00</b>
White	unit	<b>CHF 1'290.00</b>
Walnut	unit	<b>CHF 1'290.00</b>
Wenge		

---

**Sonetto Center II**

SYSTEM 3 way horizontal vented box. FREQUENCY RESPONSE 42 Hz-25.000 Hz SENSITIVITY (2.83V/1M) 91 dB SPL NOMINAL IMPEDENCE 4 ohm SUGGESTED AMPLIFIER POWER OUTPUT 50W – 300W without clipping LONG-TERM MAX INPUT VOLTAGE (IEC-268-5) 22V rms DIMENSIONS (HxWxD) 222x500x290 mm TOTAL DIMENSIONS (HxWxD) 222x500x290 mm WEIGHT 16,20 Kg

Piano		
Black	unit	<b>CHF 2'380.00</b>
Matte	unit	<b>CHF 2'380.00</b>
White	unit	<b>CHF 2'380.00</b>
Walnut	unit	<b>CHF 2'380.00</b>
Wenge		

---

**Sonetto Stand**

Pair	<b>CHF 590.00</b>
------	-------------------

---

## OLYMPICA NOVA SERIE

---

### Olympica Nova I



SYSTEM 2 way standmount, paralaminar stealth flow vented loudspeaker. FREQUENCY RESPONSE 45 Hz – 35.000 Hz, tuning port included. SENSITIVITY 87 dB SPL - NOMINAL IMPEDANCE 4 ohm. SUGGESTED AMPLIFIER POWER OUTPUT 35W – 250W - DIMENSIONS (HxWxD) 355 x 199.5 x 395 mm (Stand included 1078 x 199.5 x 395 mm) - WEIGHT 15 kg Net

Walnut	Pair	<b>CHF 6'950.00</b>
Wenge	Pair	<b>CHF 6'950.00</b>
Black	Pair	<b>CHF 6'950.00</b>

---

### Olympica Nova Stand

Pair **CHF 1'150.00**

---

### Olympica Nova II



SYSTEM 2 way floorstanding, paralaminar stealth flow vented loudspeaker - FREQUENCY RESPONSE 40 Hz – 35.000 Hz - SENSITIVITY 90 dB SPL (2.83 V/1m) - NOMINAL IMPEDANCE 4 ohm - SUGGESTED AMPLIFIER POWER OUTPUT 50W – 250W, without clipping - DIMENSIONS (HxWxD) 1036.5 x 359.7 x 422.5 mm - WEIGHT 30.7 kg Net

Walnut	Pair	<b>CHF 9'950.00</b>
Wenge	Pair	<b>CHF 9'950.00</b>
Black	Pair	<b>CHF 9'950.00</b>

---

### Olympica Nova III



SYSTEM 3 way floorstanding, paralaminar stealth flow vented loudspeaker - FREQUENCY RESPONSE 35 Hz – 35.000 Hz - SENSITIVITY 90 dB SPL - NOMINAL IMPEDANCE 4 ohm - SUGGESTED AMPLIFIER POWER OUTPUT 50W – 300W - DIMENSIONS (HxWxD) 1104.5 x 376 x 459.8 mm - WEIGHT 35 kg Net

Walnut	Pair	<b>CHF 13'900.00</b>
Wenge	Pair	<b>CHF 13'900.00</b>
Black	Pair	<b>CHF 13'900.00</b>

---

### Olympica Nova V



SYSTEM 3 way floorstanding, full para-aperiodic vented box "Stealth Ultraflex" - FREQUENCY RESPONSE 32 Hz – 35.000 Hz - SENSITIVITY 90 dB SPL - NOMINAL IMPEDANCE 4 ohm - SUGGESTED AMPLIFIER POWER OUTPUT 60W – 400W - DIMENSIONS (HxWxD) 1174.5 x 424 x 529.8 mm - WEIGHT 44 kg Net

Walnut	Pair	<b>CHF 17'000.00</b>
Wenge	Pair	<b>CHF 17'000.00</b>
Black	Pair	<b>CHF 17'000.00</b>

---

### Olympica Nova CI



SYSTEM 2 way floorstanding, paralaminar "stealth ultraflex" vented loudspeaker - FREQUENCY RESPONSE 45 Hz – 35.000 Hz - SENSITIVITY 90 dB SPL - NOMINAL IMPEDANCE 4 ohm - SUGGESTED AMPLIFIER POWER OUTPUT 35W – 250W - DIMENSIONS (HxWxD) 241.6 (Stand included 688.6) x 616 x 397.8 mm - WEIGHT 18 kg (stand included 26 Kg) Net

Walnut	Unit	<b>CHF 5'250.00</b>
Wenge	Unit	<b>CHF 5'250.00</b>
Black	Unit	<b>CHF 5'250.00</b>

### Olympica Nova CII



SYSTEM 3 way floorstanding, paralaminar "stealth ultraflex" vented loudspeaker - FREQUENCY RESPONSE 35 Hz – 35.000 Hz - SENSITIVITY 90 dB SPL - NOMINAL IMPEDANCE 4 ohm - SUGGESTED AMPLIFIER POWER OUTPUT 50W – 300W - DIMENSIONS (HxWxD) 278.1 (Stand included 719.9) x 866 x 459.7 mm - WEIGHT 29 kg (Stand included 37 Kg) Net

Walnut	Unit	<b>CHF 7'500.00</b>
Wenge	Unit	<b>CHF 7'500.00</b>
Black	Unit	<b>CHF 7'500.00</b>

### Olympica Nova W



SYSTEM 2-way on-wall speaker - passive radiator system - FREQUENCY RESPONSE 60Hz - 25000 Hz - NOMINAL IMPEDANCE 4 OHM - SENSITIVITY 89 dB - SUGGESTED AMPLIFIER POWER 30 - 150W - DIMENSIONS (HxWxD) 500 x 291 x 163 mm - WEIGHT 4,8 Kg

Walnut	Unit	<b>CHF 4'000.00</b>
Wenge	Unit	<b>CHF 4'000.00</b>
Black	Unit	<b>CHF 4'000.00</b>

### Olympica Nova Center Stand

Unit	<b>CHF 1500.00</b>
------	--------------------

## HERITAGE COLLECTION

# 35<sup>TH</sup> ANNIVERSARY

1983 · 2018

### ICONIC RENAISSANCE

The restyling of one of the most symbolic loudspeakers is always a hard work, but fascinating. Electa Amator III and the two other models of the Heritage Collection is the achievement of a 30-year journey. The third generation of an iconic product generated by an expression of natural evolution, with holding the elements that make us unique: precious materials, high craftsmanship and natural sound.

### Minima Amator II



2 ways bookshelf loudspeaker system; a simple project that features main technologies and design solutions, already used for the last Sonus faber creations. LOUDSPEAKERS: Tw: H28 XTR-04 DAD™, Ø 28 mm, Mw: MW18XTR-04, Ø 150 mm, FREQUENCY RESPONSE: 50 Hz – 35.000 Hz, Amplifier Power: 35 -100W, Impedance: 4 Ohm, Sensitivity: 87 dB SPL, Dimensions Speaker (HxWxD): 325x200x274.5 mm,

Walnut	Pair	<b>CHF 4'500.00</b>
--------	------	---------------------

### Electa Amator III



2 ways bookshelf loudspeaker system; a simple project that features main technologies and design solutions, already used for the last Sonus faber creations. LOUDSPEAKERS: Tw: H28 XTR-04 DAD™, Ø 28 mm, Mw: MW18XTR-04, Ø 180 mm, FREQUENCY RESPONSE: 40 Hz – 35.000 Hz, Amplifier Power: 35 -200W, Impedance: 4 Ohm, Sensitivity: 88 dB SPL, Dimensions Speaker (HxWxD): 375x235x360 mm,

Walnut	Pair	<b>CHF 10'800.00</b>
--------	------	----------------------

### Electa Amator III Stand

Stand: 720x300x350 mm, 9.5Kg

Pair	<b>CHF 1'600.00</b>
------	---------------------

## Maxima Amator



2 ways floorstanding loudspeaker system; a simple project that features main technologies and design solutions, already used for the last Sonus faber creations. LOUDSPEAKERS: Tw: H28 XTR-04 DAD™, Ø 28 mm, Mw: MW18XTR-04, Ø 180 mm, FREQUENCY RESPONSE: 25 Hz – 35.000 Hz, Amplifier Power: 35 -125W, Impedance: 4 Ohm, Sensitivity: 88 dB SPL, Dimensions Speaker (HxWxD): 375x235x360 mm, Stand: 1120x300x350 mm.

Walnut Pair **CHF 15'900.00**

---

## HOMMAGE SERIES

### Guarneri 5G Homage



2-way, full para-aperiodic vented box. Ultraflex System™ and "Zero Vibration Sensitivity Transmission" technology implemented on the dedicated stand. Frequency Response: 40 Hz – 35.000 Hz, Stealth reflex included. 87 db SPL (2.83V/1 m). 4 ohms. Suggested Amplifier Power Output: 30W – 250W, without clipping. Dimensions: (HxWxD) 377 x 239 x 375 mm, Including stand entirely made in Carbon fiber. Dimensions: (HxWxD) 758 x 300 x 390 mm

Red Pair **CHF 18'500.00**  
Wenige Pair **CHF 18'500.00**  
Graphite Pair **CHF 18'500.00**

---

### Serafino 5G Homage



3.5-way, full para-aperiodic vented box "Stealth Ultraflex System and "Zero Vibration Transmission" technology, vibration transmission-decoupled from the floor, staggered low frequency floor standing loudspeaker system. Cross-over point: 80Hz - 250 Hz - 2.500Hz, Frequency Response: 30 Hz – 35.000 Hz, Sensitivity: 90 db SPL (2.83V/1 m), Nominal Impedance: 4 ohms. Suggested Amplifier Power Output: 80 - 350W, Dimensions: (HxWxD) 1091x396x485 mm, Weight: 52 kg

Red Pair **CHF 25'000.00**  
Wenige Pair **CHF 25'000.00**  
Graphite Pair **CHF 25'000.00**

---

### Amati G5 Homage



3.5-way, full para-aperiodic vented box "Stealth Ultraflex System" and "Zero Vibration Transmission" technology, vibration transmission- decoupled from the floor, staggered low frequency floor standing loudspeaker system. "Cross-over point: 80Hz - 250 Hz - 2.500Hz, Frequency Response: 28 Hz – 35.000 Hz, Sensitivity: 90 db SPL, Nominal Impedance: 4 ohms, Suggested Amplifier Power Output: 100 – 500W. Dimensions: (HxWxD)1176 x 411 x 512 mm, Weight: 61 Kg

Red Pair **CHF 35'000.00**  
Wenige Pair **CHF 35'000.00**  
Graphite Pair **CHF 35'000.00**

## Homage VOX



SYSTEM 3 way, horizontal loudspeaker system -  
FREQUENCY RESPONSE 50 Hz – 30.000 Hz -  
SENSITIVITY 89 dB SPL - NOMINAL  
IMPEDANCE 4 ohm - POWER HANDLING  
30W – 300W - DIMENSIONS (HxWxD)  
310x825x390 mm - WEIGHT 37 Kg – net  
weight / 43 Kg - shipping weight.

Wenge	Unit	<b>CHF 13'600.00</b>
Red	Unit	<b>CHF 13'600.00</b>

## REFERENCE SERIE

---

### iL Cremonese



SYSTEM 3.5 way, full para-aperiodic vented  
box "Stealth Reflex System"- FREQUENCY  
RESPONSE 25 Hz – 35.000 Hz, Stealth reflex  
included - SENSITIVITY 92 db SPL (2.83V/1 m)  
- NOMINAL MPENDENCE 4 ohm  
SUGGESTED AMPLIFIER POWER OUTPUT  
100W – 800W, without clipping - TOTAL  
DIMENSIONS (HXWXD) 1449.6 mm x 398.23  
mm x 621.8 mm - WEIGHT 84 Kg each – net  
weight.

Red	Pair	<b>CHF 52'000.00</b>
Walnut	Pair	<b>CHF 52'000.00</b>
Wenge	Pair	<b>CHF 52'000.00</b>

### Lilium



SYSTEM 3.5 way, orthogonal non interactive  
dual enclosure, para-aperiodic vented box -  
FREQUENCY RESPONSE 20 Hz – 35.000 Hz,  
Stealth reflex included - SENSITIVITY 92 db  
SPL (2.83V/1 m) - NOMINAL IMPEDANCE 4  
ohm - SUGGESTED AMPLIFIER POWER  
OUTPUT 100W – 800W, without clipping -  
DIMENSIONS 1600mm x 491mm x 705mm  
(HxWxD) - WEIGHT 103 Kg each - net weight  
156 kg each - shipping weight

Red	Pair	<b>CHF 73'500.00</b>
Walnut	Pair	<b>CHF 73'500.00</b>

### AIDA



SYSTEM 3.5 way, Sound field Shaper  
Technology, "Zero Vibration Transmission"  
technology, para-aperiodic vented box "Stealth  
Reflex System", staggered low frequency  
floorstanding loudspeaker system -  
FREQUENCY RESPONSE 20 Hz – 35.000 Hz,  
Stealth reflex included - SENSITIVITY 92 db  
SPL - IMPEDANCE 4 ohm POWER HANDLING  
100W – 1KW, without clipping - DIMENSIONS  
(HxWxD) 1725mm x 482mm x 780mm -  
WEIGHT 330 Kg per pair

Red	Pair	<b>CHF 115'000.00</b>
Wenge	Pair	<b>CHF 115'000.00</b>

## GRAVIS SUBWOOFER

<p><b>Gravis I</b></p> 	<p>Closed box loading, down firing active subwoofer, AMPLIFICATION: High linearity Class AB, 150 W rms, 250 W (peak), Woofer: 1 x 210mm (8") very long throw, Independent Master and LFE volume control, FREQUENCY RESPONSE: From 25/35 Hz to Fc (user adjustable)Continuously adjustable Crossover frequency (30 to 120Hz), slope 24dB/oct; Signal phase inversion switch (0/180°), Auto switch-on/off (deselectable) DIMENSIONS (HxWxD) 334 x 286 x 316 mm including feet, 14,5 kg</p>	<p>Piano Black Matte White Walnut</p>	<p><b>CHF 990.00</b> <b>CHF 990.00</b> <b>CHF 990.00</b></p>
<p><b>Gravis II</b></p> 	<p>Closed box loading, down firing active subwoofer, AMPLIFICATION: High linearity Class AB, 350 W rms, 700 W (peak), Woofer: 1x 260mm (8") very long throw, Independent Master and LFE volume control, Continuously adjustable Crossover frequency (30 to 120Hz), slope 24dB/oct; Signal phase inversion switch (0/180°), Auto switch-on/off (deselectable) DIMENSIONS (HxWxD) 404 x 356 x 408 mm including feet, 21.5 kg</p>	<p>Piano Black Matte White Walnut</p>	<p><b>CHF 1'450.00</b> <b>CHF 1'450.00</b> <b>CHF 1'450.00</b></p>
<p><b>Gravis III</b></p> 	<p>Closed box loading, down firing active subwoofer, AMPLIFICATION: High linearity Class AB, 600 W rms, 900 W (peak), Woofer: 1x 260mm (8") very long throw, Independent Master and LFE volume control, Continuously adjustable Crossover frequency (30 to 120Hz), slope 24dB/oct; Signal phase inversion switch (0/180°), Auto switch-on/off (deselectable) DIMENSIONS (HxWxD) 400 x 415 x 495 mm including feet, 26.7 kg</p>	<p>Piano Black Matte White Walnut</p>	<p><b>CHF 2'750.00</b> <b>CHF 2'750.00</b> <b>CHF 2'750.00</b></p>
<p><b>Gravis V</b></p> 	<p>Closed box single loading, active subwoofer, AMPLIFICATION: High linearity Class AB, 850 W rms, Woofer: 1x 320mm (8") very long throw, Independent Master and LFE volume control, Continuously adjustable Crossover frequency (40 to 150Hz), slope 24dB/oct; Signal phase inversion switch (0/180°), Auto switch-on/off (deselectable) DIMENSIONS (HxWxD) 455 x 448.50 x 448.50 mm including feet, 32 kg</p>	<p>Wenge Red Black</p>	<p><b>CHF 4'950.00</b> <b>CHF 4'950.00</b> <b>CHF 4'950.00</b></p>
<p><b>Gravis VI</b></p> 	<p>Closed box double loading, active subwoofer, AMPLIFICATION: High linearity Class AB, 1800 W rms, Woofer: 2x 320mm (8") very long throw, Independent Master and LFE volume control, Continuously adjustable Crossover frequency (40 to 150Hz), slope 24dB/oct; Signal phase inversion switch (0/180°), Auto switch-on/off (deselectable) DIMENSIONS (HxWxD) 616 x 448.50 x 585.50 mm including feet, 52 kg</p>	<p>Wenge Red Black</p>	<p><b>CHF 7'000.00</b> <b>CHF 7'000.00</b> <b>CHF 7'000.00</b></p>

Preis- und technische Aenderungen vorbehalten / sous réserve de changement de prix et techniques